



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 09/03/2021 Version: 10.5

Generated : 02/03/2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

Product form	:	Mixture
Trade name	:	MAXIMA
UFI	:	K9S2-E0Y7-F006-GQA8
Product code	:	F119
Type of product	:	Detergent

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture : Professional use

: For professional use only

: Heavy-duty detergent

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### SELDEN RESEARCH LIMITED

STADEN LANE BUXTON DERBYSHIRE SK17 9RZ UNITED KINGDOM

Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk

## SELDEN EUROPE B.V.

WATERMOLEN 13 6229 PM MAASTRICHT NEDERLAND Tel: +31 (0) 43 363 42 89 Email: sds@selden.eu

#### 1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

Tel: +31 (0) 43 363 42 89

## **SECTION 2: Hazards identification**

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H statements : see section 16	


#### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements
---------------------

Labelling according to Regulation (EC	) No. 1272/2008 [CLP]
---------------------------------------	-----------------------

Hazard pictograms (CLP)



GHS05 : Danger

: sodium hydroxide; caustic soda

: H314 - Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P260 - Do not breathe spray.
	P264 - Wash hands thoroughly after handling.
	P280 - Wear eye protection, protective gloves.
	P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water or shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P315 - Get immediate medical advice/attention.
	P405 - Store locked up.

## 2.3. Other hazards

### No additional information available

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butoxydiglycol substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	1 – 5	Eye Irrit. 2, H319
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	1 – 5	Skin Corr. 1A, H314
2-Ethylhexanol, ethoxylated	(CAS-No.) 26468-86-0 (EC-No.) 607-943-2 (REACH-no) Exempt/Polymer	1 – 5	Eye Dam. 1, H318
N,N-dimethyldecylamine N-oxide	(CAS-No.) 2605-79-0 (EC-No.) 220-020-5 (REACH-no) 01-2119959297-22	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	( 1 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 1,="" 100)="" <="" dam.="" eye="" h318<="" td=""></c></c>
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Get medical advice/attention if you feel unwell.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.</li> </ul>
First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.</li> <li>Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.</li> </ul>
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause respiratory irritation.</li> <li>Burns.</li> <li>Causes serious eye damage.</li> <li>Burns.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	

No additional information available

SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	oment and emergency procedures
<ul> <li>6.1.1. For non-emergency personnel</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> </ul>	<ul><li>Evacuate unnecessary personnel.</li><li>Use personal protective equipment as required.</li></ul>
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	and cleaning up
For containment Methods for cleaning up	<ul><li>Collect spillage.</li><li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.</li></ul>
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	<ul><li>Avoid contact with skin and eyes.</li><li>Do not eat, drink or smoke when using this product.</li></ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible products Incompatible materials Special rules on packaging	<ul> <li>Does not require any specific or particular technical measures.</li> <li>Keep container closed when not in use.</li> <li>Oxidizing agent. Strong acids.</li> <li>Metals.</li> <li>Keep only in original container.</li> </ul>	
7.3. Specific end use(s)		

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Butoxydiglycol (112-34-5)		
Ireland - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
OEL TWA [1]	67.5 mg/m³	
OEL TWA [2]	10 ppm	
OEL STEL	101.2 mg/m <sup>3</sup>	
OEL STEL [ppm]	15 ppm	
Notes (IE)	IOELV	
United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
WEL TWA (OEL TWA) [1]	67.5 mg/m³	
WEL TWA (OEL TWA) [2]	10 ppm	
WEL STEL (OEL STEL)	101.2 mg/m³	
WEL STEL (OEL STEL) [ppm]	15 ppm	

sodium hydroxide; caustic soda (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL STEL	2 mg/m³	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	

## 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

#### No additional information available

F119

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166

#### 8.2.2.2. Skin protection

### Skin and body protection:

Not required for normal conditions of use

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

Other skin protection Materials for protective clothing:	
Not required for normal conditions of use	

### 8.2.2.3. Respiratory protection

Respiratory protection:	
Not required for normal conditions of use	

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state Appearance	: Liquid : Liquid.	
Colour	: dark blue.	
Odour Odour threshold	: characteristic. : No data available	
pH Delation and the factor of the	: 13.2	
Relative evaporation rate (butylacetate=1)	: No data available	
Document generated @ 02/03/2022 16:13:13		Page 5 of 11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≥ 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.08
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### **10.2. Chemical stability**

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

#### Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>	
Skin corrosion/irritation	: Causes severe skin burns. pH: 13.2	
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.2	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Document generated @ 02/03/2022 16:13:13	Pa	age 6 of 11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-ter (acute)	rm : Not classified	
Hazardous to the aquatic environment, long-term : Not classified (chronic)		
Butoxydiglycol (112-34-5)		
LC50 - Fish [1]	1300 mg/l	
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 100 mg/l	

Alcohol Alkoxylate (166736-08-9)	
LC50 - Fish [1]	10 – 100 mg/l
EC50 - Crustacea [1]	10 – 100 mg/l
ErC50 other aquatic plants	10 – 100 mg/l

sodium hydroxide; caustic soda (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

2-Ethylhexanol, ethoxylated (26468-86-0)	
LC50 - Fish [1]	13 mg/l
EC50 - Other aquatic organisms [1]	6.5 mg/l waterflea
EC50 - Other aquatic organisms [2]	6.6 mg/l

# 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential			
Butoxydiglycol (112-34-5)			
Partition coefficient n-octanol/water (Log Pow)	0.56		
sodium hydroxide; caustic soda (1310-73-2)			
Partition coefficient n-octanol/water (Log Pow)	-3.88		
N,N-dimethyldecylamine N-oxide (2605-79-0)			
Partition coefficient n-octanol/water (Log Pow)	3.69		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

# SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: UN 1760 : UN 1760 : UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR)	<ul> <li>CORROSIVE LIQUID, N.O.S.</li> <li>CORROSIVE LIQUID, N.O.S.</li> <li>Corrosive liquid, n.o.s.</li> <li>UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE), 8, III, (E)</li> </ul>
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE), 8, III
Transport document description (IATA)	: UN 1760 Corrosive liquid, n.o.s., 8, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8
	8
IMDG	·
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 8 : 8
ΙΑΤΑ	$\checkmark$
Transport hazard class(es) (IATA)	: 8

# Safety Data Sheet

Danger labels (IATA)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 8

:



	8
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA)	: III : III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: No : No : No supplementary information available
14.6. Special precautions for user	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR) Hazard identification number (Kemler No.) Orange plates	: C9 : 274 : 51 : E1 : P001, IBC03, LP01, R001 : MP19 : T7 : TP1, TP28 : L4BN : AT : 3 : V12 : 80 : $80$ 1760
Tunnel restriction code (ADR) EAC code APP code <b>Transport by sea</b>	: E : 2X : B
Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) <b>Air transport</b>	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03 : T7 : TP1, TP28 : F-A : S-B : A
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA)	<ul> <li>E1</li> <li>Y841</li> <li>1L</li> <li>852</li> <li>5L</li> <li>856</li> <li>60L</li> <li>A3</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ERG code (IATA)

: 8L

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

: Not applicable.

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
non-ionic surfactants	5-15%
amphoteric surfactants	<5%

#### 15.1.2. National regulations

### **United Kingdom**

**British National Regulations** 

 Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
 Detergent Regulation (648/2004/EC).

### 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	Expert judgment

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.