SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

CAUSTIC SODA

Revision **Revision date 2015-09-09**

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product name	CAUSTIC SODA			
1.3. Details of the supplier of the s	safety data sheet			
Company	Active Brand Concepts Ltd			
Address	The Forge Crewe Hall Farm Crewe			
Web Telephone Fax Email Email address of the competent person Local Supplier	CW1 5UE www.homecareproducts.co.uk 0844 335 0816 0844 335 0854 sales@active-brand-concepts.com sales@active-brand-concepts.com			
Company Address	AB POWDER PRODUCTS Ltd Unit 3 Digita Court Waymills Industrial Estate, Waymills, Whitchurch, England, SY13 1TT			
Web Telephone Fax Email Email address of the competent person	0844 335 0816 0844 335 0854 sales@active-brand-concepts.com sales@active-brand-concepts.com			
1.4. Emergency telephone number	r			
Emergency telephone number Company	08443350816 James Sharpe 8.30 - 5			
SECTION 2: Hazards identify	ication			
2.1. Classification of the substanc	e or mixture			
2.1.1. Classification - 1999/45/ L.C	C; R35 Symbols: C: Corrosive.			

EUH210; Met. Corr. 1: H290; Skin Corr. 1A: H314; Aquatic Chronic 3: H412;

Causes severe burns.

Main hazards

1272/2008

2.1.2. Classification - EC

Revision

Revision date 2015-09-09

2.2. Label elements

Hazard pictograms	不是

Signal Word

Danger

Hazard Statement

EUH210 - Safety data sheet available on request. Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statement:

P234 - Keep only in original container.

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling. P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Response

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.

P321 - Specific treatment (see on this label).

P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage.

Precautionary Statement:

P405 - Store locked up.

Storage

P406 - Store in corrosive resistant/ container with a resistant inner liner.

Precautionary Statement:

Disposal

P501 - Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc. Classification	M-factor.
				Number	(%w/w)	
temp_Sodium Hydroxide (Sodium		1310-73-2	215-185-5		90 - 100% C; R35	
hydroxide)						

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc. Classification	M-factor.
				Number	(%w/w)	
temp_Sodium Hydroxide (Sodium		1310-73-2	215-185-5		90 - 100% Met. Corr. 1: H290; Skin Corr.	
hydroxide)				1C: H314; Aquatic Chronic 3:		
					H412;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek		
	medical attention.		
Eye contact	Causes burns. Seek medical attention.		
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated		
	clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek		
	medical advice immediately and show this container or label.		

SECTION 5: Firefighting measures

Revision 2
Revision date 2015-09-09

5.1. Extinguishing media				
	Use as appropriate: Carbon dioxide (CO2), Dr	ry chemical, Foam.		
5.2. Special hazards arising from the substance or mixture				
	Corrosive. Burning produces irritating, toxic a	and obnoxious fumes.		
5.3. Advice for firefighters				
	Wear suitable respiratory equipment when nec	cessary.		
SECTION 6: Accidental re	lease measures			
6.1. Personal precautions, protect	ive equipment and emergency procedures			
	Avoid raising dust. Ensure adequate ventilatio area. Wear suitable protective equipment.	on of the working area. Evacuate personnel to a safe		
6.2. Environmental precautions				
	Do not allow product to enter drains. Prevent t	further spillage if safe.		
6.3. Methods and material for con	tainment and cleaning up			
	Avoid raising dust. Sweep up. Transfer to suita	able, labelled containers for disposal.		
SECTION 7: Handling and	storage			
7.1. Precautions for safe handling				
Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.				
7.2. Conditions for safe storage, in	ncluding any incompatibilities			
Keep in a cool, dry, well ventilated area. Keep containers tightly closed.				
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
8.1.1. Exposure Limit Values				
CAUSTIC SODA (Sodium	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -		
hydroxide)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2		
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total		
	inhalable dust:	inhalable dust:		
		****** 4		
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total = respirable dust:		
8.2 Evnosure controls				
8.2. Exposure controls 8.2.1 Appropriate engineering	respirable dust:	respirable dust:		
8.2. Exposure controls 8.2.1. Appropriate engineering controls		respirable dust:		
8.2.1. Appropriate engineering	respirable dust:	respirable dust:		
8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures	Ensure adequate ventilation of the working are Wear chemical protective clothing.	respirable dust:		
8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection	respirable dust: Ensure adequate ventilation of the working are Wear chemical protective clothing. Approved safety goggles.	respirable dust:		
8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures	Ensure adequate ventilation of the working are Wear chemical protective clothing.	respirable dust:		
8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection -	respirable dust: Ensure adequate ventilation of the working are Wear chemical protective clothing. Approved safety goggles.	respirable dust:		
8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection - Handprotection	respirable dust: Ensure adequate ventilation of the working are Wear chemical protective clothing. Approved safety goggles. Chemical resistant gloves (PVC). Wear:. Self-contained breathing apparatus.	respirable dust:		

Revision 2 Revision date 2015-09-09

9.1. Information on basic physical and chemical properties

Appearance Pellets
Colour White
Odour Slight
pH > 11.5
Melting point 318
Initial boiling point 1390
Relative density 2.13
Solubility Soluble in water

9.2. Other information

Bulk Densit = 1.175 g/cm³

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation Causes burns.

11.1.4. Toxicological Information

CAUSTIC SODA	Oral Rat LD50: 325 mg/kg	
temp_Sodium Hydroxide	Oral Rat LD50: 2000 mg/kg	Dermal Rabbit LD50: 500 mg/24h

SECTION 12: Ecological information

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1823

14.2. UN proper shipping name

SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	_
IATA	8

Revision 2
Revision date 2015-09-09

	Revision dute 2010 07 0
14.3. Transport hazard class(es)	
Subsidiary risk	-
14.4. Packing group	
Packing group	II
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	863
Maximum quantity	50 kg
Packing Instruction	859
(Passenger)	
Maximum quantity	15 kg
SECTION 15: Regulatory in	formation

~-~~		~		
SECTION	16.	Other	inform	nation
	ıv.	VILIEI		

Other	informa	ation
-------	---------	-------

Other information	
Revision	This document differs from the previous version in the following areas:.
	2 - 2.1. Classification of the substance or mixture.
	2 - 2.1.2. Classification - EC 1272/2008.
	2 - Hazard pictograms.
	2 - Signal Word.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Storage.
	2 - Precautionary Statement: Disposal.
	9 - 9.1. Information on basic physical and chemical properties (Appearance).
	9 - 9.1. Information on basic physical and chemical properties (Colour).
	9 - 9.1. Information on basic physical and chemical properties (Odour).
	9 - 9.1. Information on basic physical and chemical properties (PH).
	9 - 9.1. Information on basic physical and chemical properties (Solubility).
	9 - 9.2. Other information (Bulk Density).
	12 - 12.1. Toxicity.
	14 - ADR/RID.
	14 - IMDG.
	14 - IATA.
	15 - Labelling.
	15 - Risk phrases.
	15 - Safety phrases.
Text of risk phrases in Section	R35 - Causes severe burns.
3	
Text of Hazard Statements in	Met. Corr. 1: H290 - May be corrosive to metals.
Section 3	Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Revision 2
Revision date 2015-09-09

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.